

Safety Data Sheet Liquid Helium

## **Section 1: Product and Company Identification**

Minneapolis Oxygen Company 3842 Washington Avenue North Minneapolis, MN 55412 612-588-8855

PERS 1-800-633-8253 CONTRACT #529

Product Code: Liquid Helium

#### Section 2: Hazards Identification



Hazard Classification: Gases Under Pressure

Hazard Statements: Contains gas under pressure; may explode if heated

**Precautionary Statements** 

**Storage:** Protect from sunlight. Store in well-ventilated place.

### Section 3: Composition/Information on Ingredients



Chemical Substance	Chemical Family	Trade Names
HELIUM	Inorganic gases	HELIUM REFRIGERATED LIQUID; LIQUID HELIUM; HELIUM-4; ATOMIC HELIUM; UN 1046; He; UN 1963

## Section 4: First Aid Measures

Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
In case of frostbite, wash exposed skin with warm water not to exceed 105F (41C). Seek medical attention immediately.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.

# Section 5: Fire Fighting Measures

Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Non-flammable. Use suitable extinguishing media for surrounding fire.	Non-flammable	Non-flammable
		Non-flammable

### Section 6: Accidental Release Measures

Personal Precautions	Environmental Precautions	Methods for Containment
Keep unnecessary people away, isolate hazard area and deny entry. Stay upwind and keep out of low areas. Liquid helium can freeze air, oxygen, and other gases.	Avoid soil, waterways, drains and sewers	Stop leak if possible without personal risk. Allow spilled liquid to evaporate.

Methods for Cleanup	Other Information
Stop leak, evacuate area. Contact emergency personnel. Test for sufficient oxygen, especially in confined areas, before allowing reentry.	None

## Section 7: Handling and Storage

Handling	Storage
Store and use with adequate ventilation. Firmly secure cylinders upright to keep them from falling or being knocked over. Screw valve protection cap firmly in place by hand. Store only where temperature will not exceed 125F (52C). Store full and empty cylinders separately. Use a first-in, first-out inventory system to prevent storing full cylinders for long periods.	Do not get liquid in eyes, on skin, or clothing. Protect cylinders from damage. Use a suitable hand truck to move cylinders; do not drag, roll, slide, or drop. Open valve slowly. Close cylinder valve after each use; keep closed even when empty. If valve is hard to open, discontinue use and contact your supplier

## Section 8: Exposure Controls/Personal Protection

#### Exposure Guidelines

HELIUM: ACGIH (simple asphyxiant)

#### Engineering Controls

Handle	only in	fully	enclosed	systems.

Eye Protection	Skin Protection	<b>Respiratory Protection</b>
Eye protection not required, but recommended.	Cryogenic, protective clothing when required.	Non-flammable

#### **General Hygiene considerations**

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

### **Section 9: Physical and Chemical Properties**

Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Cryogenic Liquid	Colorless	Colorless	N/A	Gas	Odorless	Tasteless

Flash Point	Flammability	Partition Coefficient	Autoignition Temperature	Upper Explosive Limits	Lower Explosive Limits
Not flammable	Not available	Not available	Nonflammable	Nonflammable	Nonflammable

Boiling Point	Freezing Point	Vapor Pressure	Vapor Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
-452 F (-269	-458 F (- 272 C) @	1719 mmHg @	0.138 (Air=1)	Not applicable	0.94% @ 0 C	Not applicable	Not available	High	0.02012 cP @
Ċ)	26 atm	-268 Č	· /						26.8 C

Molecular Weight	Molecular Formula	Density	Weight per Gallon	Volatility by Volume	Volatility	Solvent Solubility
4.0026	He	0.1785 g/L @ 0 C	Not available	100%	Not applicable	Insoluble: Not available

## Section 10: Stability and Reactivity

Stability	Conditions to Avoid	Incompatible Materials
Stable at normal temperatures and pressure.	Stable at normal temperatures and pressure.	Avoid carbon steel.

Hazardous Decomposition ProductsPossibility of Hazardous ReactionsMiscellaneous decomposition productsWill not polymerize.

### Section 11: Toxicology Information

#### **Acute Effects**

Oral LD50	Dermal LD50	Inhalation
Not available	Not available	Nausea, vomiting, difficulty breathing, irregular heartbeat, headache, fatigue, dizziness, disorientation, emotional disturbances, tingling sensation, loss of coordination, suffocation, convulsions, unconsciousness, coma

Eye Irritation	Skin Irritation	Sensitization
Liquid: frostbite, blurred vision	Liquid: frostbite	Difficulty breathing, can cause rapid suffocation

#### **Chronic Effects**

Carcinogenicity	Mutagenicity	Reproductive Effects	Developmental Effects		
Not available	Not available	Not available	No data		

### **Section 12: Ecological Information**

#### **Fate and Transport**

Eco toxicity	Persistence / Degradability	<b>Bioaccumulation / Accumulation</b>	Mobility in Environment
Fish toxicity: Not available Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Not available	Not available	Not available

### Section 13: Disposal Considerations

Dispose in accordance with all applicable regulations. Return empty container to supplier.

## Section 14: Transportation Information

#### U.S. DOT 49 CFR 172.101

Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Helium, REFRIGERATED LIQUID	UN1963	2.2	Not applicable	2.2	75 kg or L	150 kg	N/A

**Canadian Transportation of Dangerous Goods** 

l	Shipping Name	UN Number	Class	Packing Group / Risk Group
ſ	Helium, LIQUID	UN1963	2.2	Not applicable

#### **Section 15: Regulatory Information**

#### **U.S. Regulations**

CERCLA Sections	SARA 355.30	SARA 355.40
Not regulated.	Not regulated.	Not regulated.

SARA 370.21

Acute	Chronic	Fire	Reactive	Sudden Release
Yes	No	No	No	Yes

SARA 372.65 Not regulated.

OSHA Process Safety Not regulated.

State Regulations CA Proposition 65 Not regulated.

Canadian Regulations WHMIS Classification

**National Inventory Status** 

US Inventory (TSCA)	<b>TSCA 12b Export Notification</b>	Canada Inventory (DSL/NDSL)		
Listed on inventory.	Not listed.	Not determined.		

### **Section 16: Other Information**

#### NFPA Rating

HEALTH=3 FIRE=0 REACTIVITY=0 SPECIAL=SA

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard