

Safety Data Sheet ≤1% Carbon Monoxide balance Air

### Section 1: Product and Company Identification

Minneapolis Oxygen Company 3842 Washington Avenue North Minneapolis, MN 55412 612-588-8855

PERS 1-800-633-8253 CONTRACT #529

Product Code: ≤1% Carbon Monoxide balance Air Synonyms: Recommended Use: Usage Restrictions:

### Section 2: Hazards Identification



Hazard Classification: Gases Under Pressure Reproductive Toxicity (Category 1.A) Specific target organ toxicity (Repeated Exposure) (Category 1)

Hazard Statements: Causes damage to organs through prolonged or repeated exposure Contains gas under pressure; may explode if heated May damage fertility or the unborn child

#### Precautionary Statements Prevention:

Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/ vapors/spray.. Wear protective gloves, protective clothing, eye protection and face protection. Obtain special instructions before use.

#### Response:

Call a poison center or doctor if you feel unwell. If exposed or concerned: Get medical advice/attention.

**Storage:** Protect from sunlight. Store in well-ventilated place. Store locked up.

#### Disposal:

Dispose of contents and/or container in accordance with applicable regulations.

## Section 3: Composition/Information on Ingredients

	CAS #	Concentration
Carbon Monoxide	630-08-0	1%
Air	Not applicable	BALANCE

	Chemical Substance	Chemical Family	Trade Names
Carbon Monoxide	CARBON MONOXIDE	Inorganic gases	CARBON OXIDE; CARBON OXIDE (CO); UN 1016; CO
Air	AIR, COMPRESSED	Inorganic gases	AIR; UN 1002 Nitrogen CAS: 7727-37-9 Oxygen CAS: 7782-44-7

## Section 4: First Aid Measures

	Skin Contact	Eye Contact	Ingestion	Inhalation	Note to Physicians
Carbon Monoxide	Wash skin with soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical attention, if needed. Thoroughly clean and dry contaminated clothing and shoes before reuse.	Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.	For inhalation, consider oxygen.
Air	Wash exposed skin with soap and water.	Flush eyes with plenty of water.	If a large amount is swallowed, get medical attention.	If adverse effects occur, remove to uncontaminated area. Get medical attention.	

### **Section 5: Fire Fighting Measures**

	Suitable Extinguishing Media	Products of Combustion	Protection of Firefighters
Carbon Monoxide	Carbon dioxide, regular dry chemical Large fires: Use regular foam or flood with fine water spray.	Carbon dioxide	<ul> <li>Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.</li> <li>Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.</li> </ul>
Air	Use extinguishing agents appropriate for surrounding fire.		<ul> <li>No respirator is required under normal conditions of use.</li> </ul>

### **Section 6: Accidental Release Measures**

	Personal Precautions	Environmental Precautions	Methods for Containment
Carbon	Keep unnecessary people away, isolate	Avoid heat, flames, sparks and other	Stop leak if possible without personal
Monoxide	hazard area and deny entry. Ventilate	sources of ignition. Keep out of water	risk. Reduce vapors with water spray.
	closed spaces before entering.	supplies and sewers.	Remove sources of ignition.

	Personal Precautions	Environmental Precautions	Methods for Containment
Air			Stop leak if possible without personal
			risk.

	Methods for Cleanup	Other Information
Carbon Monoxide	Stop leak, evacuate area. Wear protective equipment.	Subject to California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65).
Air		

## Section 7: Handling and Storage

	Handling	Storage
Carbon Monoxide	Keep separated from incompatible substances.	Store and handle in accordance with all current regulations and standards. Grounding and bonding required. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.
Air	Store and handle in accordance with all current regulations and standards. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101.	

### **Section 8: Exposure Controls/Personal Protection**

	Exposure Guidelines
Carbon	CARBON MONOXIDE: 50 ppm (55 mg/m3) OSHA TWA 35 ppm (40 mg/m3) OSHA TWA (vacated by 58 FR 35338, June 30,
Monoxide	1993) 200 ppm (229 mg/m3) OSHA ceiling (vacated by 58 FR 35338, June 30, 1993) 25 ppm ACGIH TWA 35 ppm (40 mg/m3)
	NIOSH recommended TWA 10 hour(s) 200 ppm (229 mg/m3) NIOSH recommended ceiling
Air	AIR, COMPRESSED: No occupational exposure limits established.

### Engineering Controls

Handle only in fully enclosed systems.

	Eye Protection	Skin Protection	Respiratory Protection
Carbon Monoxide	Eye protection not required, but recommended.	Protective clothing is not required.	Any supplied-air respirator with full facepiece and operated in a pressure-demand or other positive-pressure mode in combination with a separate escape supply.
Air	Eye protection not required under normal conditions.	Protective clothing is not required under normal conditions.	No respirator is required under normal conditions of use.

**General Hygiene considerations** 

- Avoid breathing vapor or mist
- Avoid contact with eyes and skin
- Wash thoroughly after handling and before eating or drinking

### **Section 9: Physical and Chemical Properties**

	Physical State	Appearance	Color	Change in Appearance	Physical Form	Odor	Taste
Carbon Monoxide	Gas	Colorless	Colorless	N/A	Gas	Odorless	Tasteless
Air	Gas	Clear	Colorless		Gas	Not available	

	Flas Poin		Flammability	Partition Co	efficient			ignition perature		Upper Ex Limits	plosive	Lowe Limits	r Explosive s
Carbon Monoxide	Flam	mable	Not available	1479.11 (log from water so	, (	nated	1128 650 (	-1202 F (60 C)	)9-	0.74		12.0-1	2.5%
Air													
	Boiling Point	Freezir Point	ng Vapor Pressure	Vapor Density	Specific Gravity	Wate Solu		рН		Ddor Fhreshold	Evapor Rate	ation	Viscosity

	Boiling Point	Freezir Point	ng Vapor Pressur	Vapor e Density	Specific Gravity	Water Solubility	рН	Odor Threshold	Evaporation Rate	Viscosity
Carbon Monoxide	-312.7 F (- 191.5 C)	-326 F 199 C)	<b>`</b>	C (Air=1) not ied	Not applicable	2.3% @ 20 C	Not applicable	Not available	Not applicable	0.01657 cP @ 0 C
Air	-317 F (-194 C)	Not availab	760 mm le @ -194	0	Not applicable	Slightly soluble	Not applicable	Not available	Not applicable	0.01853 cP @ 26.85 C
	Molec Weigh		Molecular Formula	Density	Weight per Gallon	Volatility b Volume	y Volatility	Solvent	Solubility	
Carbon Monoxide	28.01		C-0	1.250 g/L @ 0 C	Not available	100%	Not applicable	e acid, eth	Alcohol, benzene yl acetate, chloro chloride solutions	form,

## Section 10: Stability and Reactivity

	Stability	Conditions to Avoid	Incompatible Materials
Carbon	Stable at normal temperatures	Stable at normal temperatures	Oxidizing materials, halogens, metal oxides, metals,
Monoxide	and pressure.	and pressure.	combustible materials, lithium
Air	Stable at normal temperatures	Stable at normal temperatures	None known
	and pressure.	and pressure.	

Not

applicable

Slightly Soluble

	Hazardous Decomposition Products	Possibility of Hazardous Reactions
Carbon Monoxide	Oxides of carbon	Will not polymerize.
Air	No hazard expected.	Will not polymerize.

1.29 g/L @ 0 C

## Section 11: Toxicology Information

A	Effects
ACITE	FILECTS

Air

	Oral LD50	Dermal LD50	Inhalation
Carbon Monoxide	LC50 Inhalation Gas. Rat 1807 ppm 4 hours	Not available	Changes in body temperature, changes in blood pressure, nausea, vomiting, chest pain, difficulty breathing, irregular heartbeat, headache, drowsiness, dizziness, disorientation, hallucinations, pain in extremities, tremors, loss of coordination, hearing loss, visual disturbances, eye damage, suffocation, blood disorders, convulsions, coma
Air	Not available	Not available	

	Eye Irritation	Skin Irritation	Sensitization
Carbon Monoxide	No information on significant adverse effects	No information on significant adverse effects	Acute toxicity, Category 3, inhalation; H331: Toxic if inhaled. Reproductive toxicity, Category 1A; H360D: May damage the unborn child. Specific Target Organ Toxicity (repeated exposure), Category 1; H372: Causes damage to organs through prolonged or repeated exposure.
Air	No information is available	No information is available	No significant target effects reported.

### **Chronic Effects**

	Carcinogenicity	Mutagenicity	Reproductive Effects	<b>Developmental Effects</b>
Carbon Monoxide	Not available	Available.	Available.	No data
Air	Not available	Not available	No data	No data

### Section 12: Ecological Information

#### **Fate and Transport**

	Eco toxicity	Persistence / Degradability	Bioaccumulation / Accumulation	Mobility in Environment
Carbon Monoxide	Fish toxicity: 75000 ug/L 1 day(s) LC100 (Mortality) Orangespotted sunfish (Lepomis humilis) Invertibrate toxicity: Not available Algal toxicity: Not available Phyto toxicity: Not available Other toxicity: Not available	Relatively non-persistent in the environment. Highly volatile from water.	Not available	Not expected to leach through the soil or the sediment.
Air	Fish toxicity: Not available	Not available	Not available	Not available

## Section 13: Disposal Considerations

Carbon	Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous
Monoxide	Waste Number(s): D001.
Air	Dispose in accordance with all applicable regulations.

### **Section 14: Transportation Information**

### U.S. DOT 49 CFR 172.101

### **DOT Information For This Mixture**

Shipping Name	Compressed gas, n.o.s. (Air, Carbon Monoxide)
UN Number	UN1956
Hazard Class	2.2
Hazard Information	Non-Flammable Gas

### **Individual Component Information**

	Proper Shipping Name	ID Number	Hazard Class or Division	Packing Group	Labeling Requirements	Passenger Aircraft or Railcar Quantity Limitations	Cargo Aircraft Only Quantity Limitations	Additional Shipping Description
Carbon Monoxide	Carbon monoxide, compressed	UN1016	2.3	Not applicable	2.3; 2.1	Forbidden	25 kg	Toxic- Inhalation Hazard Zone D
Air	Air, compressed	UN1002	2.2	Not available	2.2	Not available	Not available	Not available

### **Canadian Transportation of Dangerous Goods**

	Shipping Name	UN Number	Class	Packing Group / Risk Group
Carbon Monoxide	Carbon monoxide, compressed	UN1016	2.3; 2.1	Not applicable
Air	Air, compressed	UN1002	2.2	Not available

### Section 15: Regulatory Information

### U.S. Regulations

	<b>CERCLA Sections</b>	SARA 355.30	SARA 355.40	
Carbon Monoxide	Not regulated.	Not regulated.	Not regulated.	
Air	Not regulated.	Not regulated.	Not regulated.	

#### SARA 370.21

	Acute	Chronic	Fire	Reactive	Sudden Release
Carbon Monoxide	Yes	No	Yes	No	Yes
Air	No	No	No	No	Yes

#### SARA 372.65

Carbon Monoxide	Not regulated.	
Air	Not regulated.	

### **OSHA Process Safety**

Carbon Monoxide	Not regulated.
Air	Not regulated.

#### State Regulations

	CA Proposition 65
Carbon	WARNING: This product can expose you to chemicals including Carbon Monoxide, which is known to the State of California to
Monoxide	cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.
Air	Not regulated.

#### **Canadian Regulations**

	WHMIS Classification
Carbon Monoxide	A, B1, D1A, D2A.
Air	A

#### **National Inventory Status**

	US Inventory (TSCA)	TSCA 12b Export Notification	Canada Inventory (DSL/NDSL)
Carbon Monoxide	Listed on inventory.	Not listed.	Listed on inventory.
Air	Not listed on inventory.	Not listed.	Not determined.

# Section 16: Other Information

	NFPA Rating
Carbon Monoxide	HEALTH=2 FIRE=4 REACTIVITY=0
Air	HEALTH=0 FIRE=0 REACTIVITY=0
Air	HEALTH=0 FIRE=0 REACTIVITY=

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard